

REFERENCES

- [1] Jin, X., Krishnan, R. and Sandhu, R., 2012, July. A unified attribute-based access control model covering DAC, MAC and RBAC. In *IFIP Annual Conference on Data and Applications Security and Privacy* (pp. 41-55).Springer Berlin Heidelberg.
- [2] Ausanka-Cruces, R., 2001. Methods for access control: advances and limitations. *Harvey Mudd College*, 301.
- [3] Roy, S., & Chuah, M. (2009). Secure data retrieval based on ciphertext policy attribute-based encryption (CP-ABE) system for the DTNs. *Lehigh CSE Tech*, 8(S8), 542-8.
- [4] Lewko, A., Okamoto, T., Sahai, A., Takashima, K. and Waters, B., 2010, May. Fully secure functional encryption: Attribute-based encryption and (hierarchical) inner product encryption. In *Annual International Conference on the Theory and Applications of Cryptographic Techniques* (pp. 62-91).Springer Berlin Heidelberg.
- [5] Lai, J., Deng, R.H. and Li, Y., 2012, May. Expressive CP-ABE with partially hidden access structures. In *Proceedings of the 7th ACM Symposium on Information, Computer and Communications Security* (pp. 18-19).ACM.
- [6] Sahai, A. and Waters, B., 2005, May. Fuzzy identity-based encryption. In *Annual International Conference on the Theory and Applications of Cryptographic Techniques* (pp. 457-473).Springer Berlin Heidelberg.
- [7] Goyal, V., Pandey, O., Sahai, A. and Waters, B., 2006, October. Attribute-based encryption for fine-grained access control of encrypted data. In *Proceedings of the 13th ACM conference on Computer and communications security* (pp. 89-98). Acm.
- [8] Katz, J., Sahai, A. and Waters, B., 2008, April. Predicate encryption supporting disjunctions, polynomial equations, and inner products. In *Annual International Conference on the Theory and Applications of Cryptographic Techniques* (pp. 146-162).Springer Berlin Heidelberg.
- [9] CHASE, M. (2007, FEBRUARY). MULTI-AUTHORITY ATTRIBUTE BASED ENCRYPTION. IN *THEORY OF CRYPTOGRAPHY CONFERENCE* (PP. 515-534).SPRINGER BERLIN HEIDELBERG.
- [10] Bethencourt, John, Amit Sahai, and Brent Waters. "Ciphertext-policy attribute-based encryption." *2007 IEEE symposium on security and privacy (SP'07)*.IEEE, 2007.
- [11] Wang, Guojun, Qin Liu, and Jie Wu. "Hierarchical attribute-based encryption for fine-grained access control in cloud storage services." *Proceedings of the 17th ACM conference on Computer and communications security*. ACM, 2010.
- [12] Katz, J., Sahai, A., & Waters, B. (2013). Predicate encryption supporting disjunctions, polynomial equations, and inner products. *Journal of cryptology*, 26(2), 191-224.
- [13] Lai, J., Deng, R.H. and Li, Y., 2011, May. Fully secure ciphertext-policy hiding CP-ABE. In *International Conference on Information Security Practice and Experience* (pp. 24-39).Springer Berlin Heidelberg.
- [14] Zhou, Z., & Huang, D. (2010, October). On efficient ciphertext-policy attribute based encryption and broadcast encryption. In *Proceedings of the 17th ACM conference on Computer and communications security* (pp. 753-755).ACM.
- [15] Zeng, F., Xu, C., Li, W. and Mo, J., 2012. Predicate Encryption for Inner Product in Cloud Computing. *International Journal of Advancements in Computing Technology*, 4(13).
- [16] Jin, X., Krishnan, R., & Sandhu, R. (2012, July). A unified attribute-based access control model covering DAC, MAC and RBAC. In *IFIP Annual Conference on Data and Applications Security and Privacy* (pp. 41-55).Springer Berlin Heidelberg.
- [17] Ausanka-Cruces, Ryan. "Methods for access control: advances and limitations." *Harvey Mudd College* 301 (2001).