









































- [43] Muthu, S. Isac Paulraj, E. Spectroscopic and molecular structure (monomeric and dimeric structure) investigation of 2-[(2-hydroxyphenyl) carbonyloxy] benzoic acid by DFT method: a combined experimental and theoretical study, *J. Mol. Struct.*, 1038, (2013), pp. 145-162.
- [44] Weitao Yang, Wilfried Mortier, J. The use of global and local molecular parameters for the analysis of the gas-phase basicity of amines, *J. Am. Chem. Soc.*, 108, (1986), pp. 5708-5711.
- [45] Sun, Y.X. Hao, Q.L. Wei, W.X. Yu, Z.X. Lu, L.D. Wang, X. Wang, Y.S. Experimental and density functional studies on 4-(3, 4-dihydroxybenzylideneamino) antipyrine, and 4-(2, 3, 4-trihydroxybenzylideneamino) antipyrine, *J. Mol. Struct. THEOCHEM*, 904, (2009), pp. 74-82.
- [46] Snehalatha, M. Ravikumar, C. Hubert Joe, I. Sekar, N. Jayakumar, V.S. Spectroscopic analysis and DFT calculations of a food additive Carmoisine, *Spectrochim. Acta* 72A, 654 (2009).
- [47] Sidir, I. Sidir, Y.G. Kumalar, M. Tasal, E. Ab initio Hartree-Fock and density functional theory investigations on the conformational stability, molecular structure and vibrational spectra of 7-acetoxy-6-(2,3-dibromopropyl)-4,8-dimethyl -coumarin molecule. *J. Mol. Struct.*, 964, 2010, pp.134–151.
- [48] Balamurugan, N. Charanya, C. SampathKrishnan, S. Muthu, S. Molecular structure, vibrational spectra, first order hyper polarizability, NBO and HOMO–LUMO analysis of 2-amino-5-bromo-benzoic acid methyl ester, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 137, (2015), pp. 1374–1386.